

Supplementary Table 2. Results of behavioral scales

Variable	No.	K-CDI	No.	CBCL-Internalizing	CBCL-Externalizing	No.	K-ARS-Inattention	K-ARS-HI	K-ARS-total
ESAG									
Male	30	8.13 ± 5.41	30	77.80 ± 22.87	52.20 ± 25.37	30	3.80 ± 4.16	2.40 ± 3.02	6.20 ± 6.71
Female	32	11.13 ± 8.94	32	79.66 ± 16.86	60.38 ± 26.36	31	2.61 ± 3.30	1.39 ± 2.30	4.00 ± 5.23
Total	62	9.68 ± 7.54	62	78.76 ± 19.85	56.42 ± 26.00	61	3.20 ± 3.77	1.89 ± 2.71	5.08 ± 6.06
<i>P</i> value ^a		0.119		0.716	0.219		0.221	0.146	0.158
MSAG									
Male	17	11.94 ± 7.08	17	84.06 ± 14.60	75.18 ± 21.13	17	6.71 ± 5.90	3.76 ± 4.12	10.47 ± 9.70
Female	36	13.92 ± 7.06	35	77.97 ± 22.48	62.91 ± 26.46	36	3.78 ± 3.58	1.42 ± 2.10	5.19 ± 5.26
Total	53	13.28 ± 7.06	52	79.96 ± 20.30	66.92 ± 25.31	53	4.72 ± 4.61	2.17 ± 3.07	6.89 ± 7.33
<i>P</i> value ^b		0.346		0.315	0.102		0.029 ^c	0.008 ^c	0.013 ^c
Total									
Male	47	9.51 ± 6.27	47	80.06 ± 20.33	60.51 ± 26.18	47	4.85 ± 5.00	2.89 ± 3.48	7.74 ± 8.09
Female	68	12.60 ± 8.06	67	78.78 ± 19.86	61.70 ± 26.24	67	3.24 ± 3.48	1.40 ± 2.18	4.64 ± 5.24
Total	115	11.34 ± 7.51	114	79.31 ± 19.98	61.21 ± 26.11	114	3.90 ± 4.23	2.02 ± 2.87	5.92 ± 6.71
<i>P</i> value ^c		0.029 ^c		0.736	0.812		0.045 ^c	0.006 ^c	0.014 ^c
<i>P</i> value ^d		0.01 ^e		0.75	0.032 ^c		0.055	0.6	0.153

Values are presented as mean ± standard deviation. For categorical variables, chi-squared test was used to compare the groups.

K-CDI, Korean children's depression inventory; CBCL, Child Behavior Checklists; Internalizing, internalizing problems; Externalizing, externalizing problems; K-ARS, Korean attention deficit hyperactivity disorder rating scale; HI, hyperactivity-impulsivity; ESAG, elementary school age group; MSAG, middle school age group.

^a*P* value for mean difference between male and female patients in ESAG; ^b*P* value for mean difference between male and female patients in MSAG; ^c*P* value for mean difference between male and female patients; ^d*P* value for mean difference between ESAG and MSAG; ^e*P* < 0.05.